











1

2





3


1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

7

5













| | | |
|---|--------|--|
| 2016/04/22 五 13:11:07    | | |
| 开始带电测试 > 测试参数设置 | | |
| 试验编号 | 000000 | <div><说明>
请按要求接好测试线，
按确认键开始测试。</div> |
| 设备名称 | 000000 | |
| 测试方式 | 无线 0 | |
| 参考相别 | ABC | |









欢迎使用

Fa: 50.00Hz 
Uxa: 60.00V
Uxb: 60.00V 0
Uxc: 60.00V 


485 ↑

7

